



**DESCRIPTION**

AURAseries is the most economical outdoor luminaire suitable for parking lot lighting, and street lighting. Individual engines with aluminum heatsinks provide easy thermal management.



--	--	--	--	--	--	--	--

**ORDERING INFORMATION**



Model	Watts	Lumen	Optic	ColorTemp.	CRI	Optional	Finish color
LI-PL295-300W-XYZ	300	35000	A = Type3 (Asymmetric)	0 = 4000K 1 = 5000K	80	1 = Dimmable 2 = Occupancy Sensor 3 = Photocel	BR

Ordering Example:  
LI-PLYR298-W300-300-A-1-1-BR

Project name:



- Material: Aluminum Die Casting. Salt mist resistance & anti aging. High thermal conductivity.
- Ledtype: Phillips Lummi LED'S LUXEON3030 2D.
- Electrical: 120~ 277Vac, 50/60Hz Driver included.
- Powerfactor:  $\geq 95\%$
- Ledefficiency: 130 lm/W
- Color temperature: 4000K, 5000K
- Operation temperature:  $-35^{\circ}\text{C}$  to  $55^{\circ}\text{C}$
- Color Rendering Index (CRI):  $\geq 75$
- THD%: 16.3-17.9
- IP Rating: IP65



Project name:



## FIXTURE MOUNTING OPTIONS

M1 = Straight Arm Mount



M2 = Slip Fitter



M3 = U-Bracket Trunnion



Ordering Example:

LI-PLYR298-W300-300-A-1-1-BR-M1

Project name:

