



DESCRIPTION

AURA series is the most economical outdoor luminaire suitable for parking lot lighting, and street lighting. Individual engines with aluminum heatsinks provide easy thermal management.



--	--	--	--	--	--	--	--

ORDERING INFORMATION

Model	Watts	Lumen	Optic	Color Temp.	CRI	Optional	Finish color
LI-PL295-200W-XYZ	200	24000	A = Type 3 (Asymmetric)	0 = 4000K 1 = 5000K	80	1 = Dimmable 2 = Occupancy Sensor 3 = Photocell	BR

: Ordering Example


LI-PL295-200W-XYZ

Project Name:

AURA



- **Material:** Aluminum Die Casting. Salt mist resistance & anti aging. High thermal conductivity.
- **LED Type:** Phillips Lummi LED'S LUXEON 3030 2D.
- **Electrical:** 120~ 277Vac, 50/60Hz Driver included.
- **Power Factor:** ≥95%
- **LED Efficiency:** 130 lm/W
- **Color Temperature:** 4000K, 5000K
- **Operation Temperature:** -35°C to 55°C
- **Color Rendering Index (CRI):** ≥ 75
- **THD%:** 16.3-17.9
- **IP Rating:** IP65



Project Name:

FIXTURE MOUNTING OPTIONS

<p>M1 = Straight Arm Mount</p>		
<p>M2 = Slip Fitter</p>		
<p>M3 = U-Bracket Trunnion</p>		

Ordering Example:
LI-PL295-W200-200-A-1-1-BR-M1

Project Name: